WUNDERLICH AUSTRALIAN STEEL CEILINGS

EXTERIOR METAL WORK

RECOGNISING the growing demand for high-class building materials suitable for country districts, where materials and skilled labour are scarce and necessarily dear, we have added the following lines to our already extensive stock. They are far in advance of the almost universal corrugated iron and wooden structures usually seen. When painted they present a very handsome appearance, and are architecturally correct in every detail. All the lines shown are of our usual high standard, being made from the best materials obtainable, and turned out by first-class labour and machinery. Every piece is examined before leaving the works, and is guaranteed perfect.

We do not paint our Zinc or Galvanized Steel materials. Black Steel goods are primed on both sides with one coat of the best oil paint before leaving the works.

When you are building, forward your plans to us and we will submit for your approval estimate and design showing application of our manufactures

This illustration shows a cottage front treated with our ROCK-FACED STONE

For further particulars see next page

REGISTERED

TRADE MARK

THE WUNDERLICH PATENT CEILING AND ROOFING CO. LIMITED

SYDNEY SALES DEPARTMENT
ROYAL EXCHANGE, 66 PITT STREET
SYDNEY, N.S.W.

HEAD OFFICE AND WORKS:
BAPTIST STREET, REDFERN
N.S.W.

MELBOURNE BRANCH:
123 QUEEN STREET, MELBOURNE
VICTORIA

ONLY POSTAL ADDRESS: BOX 474 G.P.O., SYDNEY

AGENTS IN EVERY STATE

For Particulars of METAL CEILINGS and INTERNAL DECORATIONS see our Ceiling Catalogues

COPYRIGHT

Rock-Faced Stone & Brick Sheeting

These new materials are specially suitable for buildings in the country where materials and skilled labour are costly. They have a fine appearance, and are practically everlasting. The stone sheets when painted and sanded are an exact replica of natural sandstone, and in fact cannot be distinguished from it. The brick sheeting may be painted in usual brick colours, the joints being lined out as in tuck-pointed work.

Elevation showing lower story of ROCK-FACED STONE SHEETING (No. 989), and upper story of similar QUOINS, 14 in. and 16 in. (No. 989), with GALVANIZED STEEL BRICK SHEETING (No. 1046); this sheeting is made specially to work in with Rock-Faced Stone.

Brick Sheeting in Galvanized Steel

No. 1046.
Supplied in sheets
6 ft. x 2 ft. 11 in.

This size is made to work in with our Rock-Faced Stone Sheets



Rock-Faced Stone in Galvanized Steel



No. 989. Rock-Faced Stone, supplied in sheets of the following dimensions:—

5 ft. 9½ in. x 10½ in. high	.. 3 blocks to a sheet	11½ in. x 10½ in. high	.. 1 block to a sheet
3 ft. 10⅜ in. x 10½ in. ,,	.. 2 ,, ,,	1 ft. 2 in. x 10½ in. ,,	.. 1 ,, ,,
1 ft. 11⅝ in. x 10½ in. ,,	.. 1 block to a sheet	1 ft. 4 in. x 10½ in. ,,	.. 1 ,, ,,

No. 990. Pilaster Sheets—1 ft. 1 in. wide x 5 ft. 3 in. high .. 6 stones to a sheet

COPYRIGHT

Fish Scale and Rough Cast Sheets In Galvanized Steel and Zinc

METAL FISH SCALE SHEETS are specially suitable for small Turret Roofs, Gables, Balconies, etc. They are superior to, and may be used in lieu of, the ordinary wood shingles.

Fish Scale sheets are fixed to lining or battens with 1 in. galvanized screws and washers

METAL ROUGH-CAST SHEETING is the ideal material for Gables, Friezes, etc., and is superior to, and more suited to our climate than, the usual form of Rough Cast. Perfectly weather-proof, light, and easily fixed

Studs may be formed of plain galvanized steel, thus :—



No. 1045. Rough Cast in Galvanized Steel.
Supplied in sheets 6 feet x 3 feet.



This illustration shows the adaptation of our FISH SCALE and ROUGH CAST sheets to a Gable.



No. 930. Rough Cast in Zinc.
Supplied in sheets 6 feet x 3 feet.

No. 190. Fish Scale Sheets in Galvanized Steel or Zinc.
Supplied in sheets 6 feet x 3 feet.



No. 751. Fish Scale Sheets in Galvanized Steel or Zinc.
Supplied in sheets 6 feet x 3 feet.



No. 189. Fish Scale Sheets in Galvanized Steel or Zinc
Supplied in sheets 6 feet x 3 feet.

COPYRIGHT

WUNDERLICH AUSTRALIAN STEEL CEILINGS

House Front showing application of **Rock-faced Stone Sheets** to ground floor, and **Fish Scale Sheets** to balconies. (For details, see pages 2 and 3.)

The best materials for Turret Roofs, Gables, Hoods, etc.

ERECTED IN MACQUARIE STREET, SYDNEY

Tile Roofing in Sheets

Should be painted to resemble **Terra Cotta.** An ornamental substitute for the ordinary corrugated sheets. Battens fixed at about 2 ft. centres.

Improved **Galvanized Steel Roofing** suitable for every class of building, particularly Churches and Schools



Light for Transport

24 in. cover (centre to centre of rolls).
No. 850. Galvanized Steel Roofing Sheets. Supplied in sheets 6 ft. long.

COPYRIGHT